ELSEVIER

Analytica Chimica Acta 547 (2005) 269–271

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Açıkel, M., see Kaftan, Ö. 31
Aksahin, I., see Senyuva, H.Z. 73
Alonso Lomillo, M.A.
—, Ruiz, J.G. and Pascual, F.J.M.
Biosensor based on platinum chips for glucose determination 209
Amara, M.
— and Kerdjoudj, H.
Electro-adsorption of polyethyleneimine on the anion exchange membrane. Application to the nitrate removal from loaded solutions 50
Ansarian, H.R.
—, Derakhshan, M., Mizanur Rahman, M., Sakurai, T., Takafuji, M., Taniguchi, I. and Ihara, H.
Evaluation of microstructural features of a new polymeric organic stationary phase grafted on silica surface: A paradigm of characterization of HPLC-stationary phases by a combination of suspension-state ^{1}H NMR and solid-state ^{13}C-CP/MAS-NMR 179
Anthemidis, A.N.
—, Zachariadis, G.A. and Stratis, J.A.
Determination of arsenic(III) and total inorganic arsenic in water samples using an on-line sequential insertion system and hydride generation atomic absorption spectrometry 237
Anticó, E., see Fontàs, C. 255
Armenta, S.
—, Garrigues, S. and de la Guardia, M.
Solid-phase FT-Raman determination of caffeine in energy drinks 197
Artok, L., see Kaftan, Ö. 31
Ataman, O.Y., see Şahin, F. 126
Aygün, S.F., see Karakartal, S.M. 89

Bilge, S., see İsbir, A.A. 59
Bączek, T., see Marszałł, M.P. 172
Bakircioglu, D., see Bakircioglu, Y. 26
Bakircioglu, Y.
—, Bakircioglu, D. and Tokman, N.
A novel preconcentration method for determination of iron and lead using Chromosorb-103 and flame atomic absorption spectrometry 26
Behrouzi, M., see Karaca, F. 75
Bigwood, T., see Stubbings, G. 262
Bujdoš, M., see Kubová, J. 119
Carlsson, J.
—, Winquist, F., Danielsson, B. and Lundström, I.
Biosensor discrimination of meat juice from various animals using a lectin panel and ellipsometry 229
Çelikbıçak, Ö., see Kılıç, A.G. 18
Charalambous, A.
— and Economou, A.
A study on the utility of bismuth-film electrodes for the determination of In(III) in the presence of Pb(II) and Cd(II) by square wave anodic stripping voltammetry 53
Cooper, A., see Stubbings, G. 262

Danielsson, B., see Carlsson, J. 229
de la Guardia, M., see Armenta, S. 197
de la Guardia, M., see Rocha, F.R.P. 204
Delacôte, C., see Walcarius, A. 3
Demir, M.
Foreword 1
Demirata, B., see Gumus, G. 138
Derakhshan, M., see Ansarian, H.R. 179
Doner, G.
— and Ege, A.
Determination of copper, cadmium and lead in seawater and mineral water by flame atomic absorption spectrometry after coprecipitation with aluminum hydroxide 14

Ebru Seçkin, Z.
— and Volkan, M.
Flow injection fluorescence determination of dopamine using a photo induced electron transfer (PET) boronic acid derivative 104
Economou, A., see Charalambous, A. 53
Ege, A., see Doner, G. 14
Eroğlu, A.E., see Kaftan, Ö. 31
Eroğlu, A.E., see Pasinli, T. 42
Filik, H., see Gumus, G. 138
Filipkowska, A.
—, Lubecki, L. and Kowalewska, G.
Polycyclic aromatic hydrocarbon analysis in different matrices of the marine environment 243
Fodor, P., see Schaeffer, R. 109
Fontàs, C.
—, Hidalgo, M., Salvadó, V. and Anticó, E.
Selective recovery and preconcentration of mercury with a benzoylthiourea-solid supported liquid membrane system 255

Gao, P.-F., see Niu, C.-G. 221
Gao, R., see Zhou, A. 158
Garcia, E., see Santos, Jr., V.O. 188
Garrigues, S., see Armenta, S. 197
Guan, A.-L., see Niu, C.-G. 221
Gui, X.-Q., see Niu, C.-G. 221
Gumus, G.
—, Filik, H. and Demirata, B.
Determination of bismuth and zinc in pharmaceuticals by first derivative UV–Visible spectrophotometry 138
Herod, A.A., see Karaca, F. 75
Hidalgo, M., see Fontàs, C. 255
Huang, G.-H., see Niu, C.-G. 221

Ihara, H., see Ansarian, H.R. 179
Ipolyi, I., see Schaeffer, R. 109

doi:10.1016/S0003-2670(05)01240-7

İsbir, A.A.
—, Solak, A.O., Üstündağ, Z., Bilge, S., Natsagdorj, A., Kiliç, E. and Kiliç, Z.
The electrochemical behavior of some podands at a benzo[c]cinnoline modified glassy carbon electrode 59

Jiang, J., see Tan, S. 215

Kabasakal, B.V., see Senyuva, H.Z. 73
Kaftan, Ö.
—, Açıkel, M., Eroğlu, A.E., Shahwan, T., Artok, L. and Ni, C.
Synthesis, characterization and application of a novel sorbent, glucamine-modified MCM-41, for the removal/preconcentration of boron from waters 31
Kalaitzantonakis, E.A., see Tzanavaras, P.D. 98
Kaliszan, R., see Marszałł, M.P. 172
Kandiyoti, R., see Karaca, F. 75
Karaca, F.
—, Millan, M., Behrouzi, M., Herod, A.A. and Kandiyoti, R.
The size exclusion chromatography calibration of 'Mixed-A' and 'Mixed-D' columns using various polymers and compounds: An application to coal-derived materials 75
Karakartal, S.M.
—, Aygün, S.F. and Onar, A.N.
Gas chromatographic separation of PCB and OCP by photocatalytic degradation 89
Kerdjoudj, H., see Amara, M. 50
Kılıç, A.G.
—, Malcı, S., Çelikbıçak, Ö., Şahiner, N. and Salih, B.
Gold recovery onto poly(acrylamide-allylthiourea) hydrogels synthesized by treating with gamma radiation 18
Kiliç, E., see İsbir, A.A. 59
Kiliç, Z., see İsbir, A.A. 59
Koupparis, M.A., see Megoulas, N.C. 64
Kowalewska, G., see Filipkowska, A. 243
Kubová, J.
—, Matúš, P., Bujdoš, M. and Medved', J.
Influence of acid mining activity on release of aluminium to the environment 119

Li, S.F.Y., see Yu, L. 165
Lima, D.G., see Santos Jr., V.O. 188
Liu, Y.-G., see Niu, C.-G. 221
Lubecki, L., see Filipkowska, A. 243
Lundström, I., see Carlsson, J. 229
Lv, X., see Zhou, A. 158

Malcı, S., see Kılıç, A.G. 18
Mandic, L.M., see Rancic, S.M. 144
Marszałł, M.P.
—, Baczek, T. and Kaliszan, R.
Reduction of silanophilic interactions in liquid chromatography with the use of ionic liquids 172
Matúš, P., see Kubová, J. 119
Medved', J., see Kubová, J. 119
Megoulas, N.C.
— and Koupparis, M.A.
Direct determination of kanamycin in raw materials, veterinary formulation and culture media using a novel liquid chromatography–evaporative light scattering method 64
Millan, M., see Karaca, F. 75
Mizanur Rahman, M., see Ansarian, H.R. 179
Morales-Rubio, Á., see Rocha, F.R.P. 204

Natsagdorj, A., see İsbir, A.A. 59
Nemutlu, E.
—, Yardımcı, C. and Özaltın, N.
Determination of sertaconazole in pharmaceutical preparations by capillary zone electrophoresis 83
Ni, C., see Kaftan, Ö. 31
Nikolic-Mandic, S.D., see Rancic, S.M. 144
Niu, C.-G.
—, Guan, A.-L., Zeng, G.-M., Liu, Y.-G., Huang, G.-H., Gao, P.-F. and Gui, X.-Q.
A ratiometric fluorescence halide sensor based on covalently immobilization of quinine and benzothioxanthene 221

Oliveira, F.C.C., see Santos Jr., V.O. 188
Onar, A.N., see Karakartal, S.M. 89
Özaltın, N., see Nemutlu, E. 83
Ozcan, S., see Senyuva, H.Z. 73

Pascual, F.J.M., see Alonso Lomillo, M.A. 209
Pasinli, T.
—, Eroğlu, A.E. and Shahwan, T.
Preconcentration and atomic spectrometric determination of rare earth elements (REEs) in natural water samples by inductively coupled plasma atomic emission spectrometry 42
Petry, A.C., see Santos Jr., V.O. 188
Piperaki, E., see Theodorolea, S. 132

Qin, W., see Yu, L. 165

Rancic, S.M.
—, Nikolic-Mandic, S.D. and Mandic, L.M.
Kinetic spectrophotometric method for gold(III) determination 144
Robb, P., see Stubbings, G. 262
Rocha, F.R.P.
—, Ródenas-Torralba, E., Morales-Rubio, Á. and de la Guardia, M.
A clean method for flow injection spectrophotometric determination of cyclamate in table sweeteners 204
Ródenas-Torralba, E., see Rocha, F.R.P. 204
Rubim, J.C., see Santos Jr., V.O. 188
Ruiz, J.G., see Alonso Lomillo, M.A. 209

Şahin, F.
—, Volkan, M. and Ataman, O.Y.
Effect of nitric acid for equal stabilization and sensitivity of different selenium species in electrothermal atomic absorption spectrometry 126
Şahiner, N., see Kılıç, A.G. 18
Sakurai, T., see Ansarian, H.R. 179
Salih, B., see Kılıç, A.G. 18
Salvadó, V., see Fontàs, C. 255
Santos, Jr., V.O.
—, Oliveira, F.C.C., Lima, D.G., Petry, A.C., Garcia, E., Suarez, P.A.Z. and Rubim, J.C.
A comparative study of diesel analysis by FTIR, FTNIR and FT-Raman spectroscopy using PLS and artificial neural network analysis 188
Schaeffer, R.
—, Soeroes, C., Ipolyi, I., Fodor, P. and Thomaidis, N.S.
Determination of arsenic species in seafood samples from the Aegean Sea by liquid chromatography–(photo-oxidation)–hydride generation–atomic fluorescence spectrometry 109
Senyuva, H.Z.
—, Aksahin, I., Ozcan, S. and Kabasakal, B.V.
Rapid, simple and accurate liquid chromatography–diode array detection validated method for the determination of dipyrone in solid and liquid dosage forms 73
Shahwan, T., see Kaftan, Ö. 31
Shahwan, T., see Pasinli, T. 42
Sharman, M., see Stubbings, G. 262
Shen, G., see Tan, S. 215
Soeroes, C., see Schaeffer, R. 109
Solak, A.O., see İsbir, A.A. 59
Stratis, J.A., see Anthemidis, A.N. 237

Stubbings, G.
—, Tarbin, J., Cooper, A., Sharman, M., Bigwood, T. and Robb, P.
A multi-residue cation-exchange clean up procedure for basic drugs in produce of animal origin 262
Suarez, P.A.Z., see Santos, Jr., V.O. 188
Sun, X.
—, Yang, X. and Wang, E.
Chromatographic and electrophoretic procedures for analyzing plant pigments of pharmacologically interests 153

Takafuji, M., see Ansarian, H.R. 179
Tan, S.
—, Jiang, J., Shen, G., Shen, G. and Yu, R.
A novel fluorescence probe for cilnidipine assay 215
Taniguchi, I., see Ansarian, H.R. 179
Tarbin, J., see Stubbings, G. 262
Theodoridis, G.A., see Tzanavaras, P.D. 98
Theodorolea, S.
—, Thomaidis, N.S. and Piperaki, E.
Determination of selenium in human milk by electrothermal atomic absorption spectrometry and chemical modification 132
Thomaidis, N.S., see Schaeffer, R. 109
Thomaidis, N.S., see Theodorolea, S. 132
Tokman, N., see Bakircioglu, Y. 26
Tzanavaras, P.D.
—, Zacharis, C.K., Theodoridis, G.A., Kalaitzantonakis, E.A. and Voulgaropoulos, A.N.
Normal spectrophotometric and stopped-flow spectrofluorimetric sequential injection methods for the determination of alendronic acid, an anti-osteoporosis amino-bisphosphonate drug, in pharmaceuticals 98

Üstündağ, Z., see İsbir, A.A. 59

Volkan, M., see Şahin, F. 126
Volkan, M., see Ebru Seçkin, Z. 104
Voulgaropoulos, A.N., see Tzanavaras, P.D. 98

Walcarius, A.
— and Delacôte, C.
Mercury(II) binding to thiol-functionalized mesoporous silicas: critical effect of pH and sorbent properties on capacity and selectivity 3
Wang, E., see Sun, X. 153
Winquist, F., see Carlsson, J. 229

Xie, Y., see Zhou, A. 158

Yan, C., see Zhou, A. 158
Yang, X., see Sun, X. 153
Yardımcı, C., see Nemutlu, E. 83
Yu, L.
—, Qin, W. and Li, S.F.Y.
Ionic liquids as additives for separation of benzoic acid and chlorophenoxy acid herbicides by capillary electrophoresis 165
Yu, R., see Tan, S. 215
Yücel, H.G.
Prediction of molecular weight and density of *n*-alkanes (C_6–C_{44}) 94

Zachariadis, G.A., see Anthemidis, A.N. 237
Zacharis, C.K., see Tzanavaras, P.D. 98
Zeng, G.-M., see Niu, C.-G. 221
Zhou, A.
—, Lv, X., Xie, Y., Yan, C. and Gao, R.
Chromatographic evaluation of perphenylcarbamoylated β-cyclodextrin bonded stationary phase for micro-high performance liquid chromatography and pressurized capillary electrochromatography 158